XII. *A* Catalogue *of the* Fifty Plants *from* Chelſea-Garden, *preſented to the* Royal Society *by the Company of* Apothecaries, *for the Year* 1746. *purſuant to the Direction of Sir* Hans Sloane *Bart. Med. Reg. & nuper Soc. Reg. Præſ.*; *by* Joſ. Miller *Apothecary*, *Hort.* Chelſ. *Præſ. ac Prælect. Botan.*

Preſented Feb. 16. 1748-9.

1201. ADiantum Americanum. *Cornut.*
1202. Adiantum nigrum. Offic.
1203. Acriviola maxima odorata, flore pleno. *Boerh.*
1204. Alaternoides Africana Telephii *Imperati* folio. *Hort. Amſt.*
1205. Alnus nigra. *Offic.*
1206. Aquilegia hortenſis multiplex, flore pleno. *C. B.*
1207. Arum maximum, quod Colocaſia vulgò caulibus nigricantibus. *Hort. Lugd.*
1208. Aſperula odorata, flore albo. *Offic.* et *Dodon.*
1209. Aſteriſcus perennis maritimus patulus. *Tourn.*
1210. Buphthalmum orientale, Tanaceti minoris folio, flore luteo amplo. *Ibid.*
1211. Calendula minor Hiſpanica. *Hort. Lugd. Bat.*
1212. Chamæpitys lutea vulgaris, folio trifido. *C. B.* et *Offic.*
1213. Clinopodium minus, Ocimi facie. *C. B.*
1214. Clinopodium Americanum rotundifolium, Pulegii odore. *Houſt.*

1215. Convolvulus cæruleus major, folio ſubrotundo. *Ger. Park.*
1216. Conyſa minima. *Ger. emac.*
1217. Corona Solis annua, flore pleno. *Tourn.*
1218. Coronilla herbacea, flore vario. *Ibid.*
1219. Euphraſia pratenſis rubra. *C. B.*
1220. Galega Africana, floribus majoribus, et ſiliquis craſſioribus. *Tourn.*
1221. Geranium Africanum Malvæ folio, petalis florum inferioribus vix conſpicuis. *Index Hort. Chelſ.*
1222. Guidonia Ulmi foliis, flore roſeo. *Plum.*
1223. Helianthemum vulgare, flore luteo. *J. B.*
1224. Horminum coma purpureo-violacea. *Ibid.*
1225. Jacea ſpinoſa alata, cinerea caule, ſpinis luteis longiſſimis.
1226. Lavatera, folio et facie Altheæ. *Act. Reg. Soc.*
1227. Lavatera flore albo.
1228. Lotus anguſtifolia flore luteo-purpureo, ex inſula Sancti Jacobi. *Hort. Amſt.*
1229. Lychnis ſylveſtris flore albo minimo. *Raii Hiſt.*
1230. Lychnis ſylveſtris, quæ Saponaria. *Tourn.*
1231. Meſpilus aculeata, Pyri denticulato folio, ſplendens Virginiana. *Pluk.*
1232. Myagrum ſiliculis longis. *C. B.*
1233. Myrtus latifolia Romana. *Ibid.*
1234. Myrtus Buxi folio. *Schyl. Hort.*
1235. Obeliſcotheca minor, integro folio. *Dillen.*
1236. Ophioglosſum, Lingua ſerpentina. *Park.*
1237. Ophris bifolia. *C. B.*
1238. Orobus ſylvaticus, Viciæ foliis. *Ibid.*

1239.

1239. Pæonia mas. *Officin.* et *C. B.*
1240. Phaſeolus flore coccineo. *Cornut.*
1241. Piſum humile caule firmo. *Tourn.*
1242. Polemonium vulgare. *Ibid.*
1243. Rapuntium maximum, coccineo ſpicato flore. *Col. in Rech.*
1244. Rhamnus catharticus. *Off.* et *C. B.*
1245. Satureia hortenſis æſtiva. *Ibid.*
1246. Sclarea Indica flore variegato. *Boerh.*
1247. Saururus humilis, folio carnoſo ſubrotundo. *Plum.*
1248. Spiræa Hiſpanica, Hyperici crenato folio. *Tourn.*
1249. Thuya Theophraſti. *C. B.*
1150. Turritis muralis hirſuta minor. *Tourn.*

XIII. *The Reverend Mr.* Robert Clarke *to Mr.* Fleming, *concerning a Boy, who had a* Calculus *formed between the* Glans *and the* Præputium.

SIR,

Read Feb. 23. 1748-9. UPON Inquiry, I find that the Boy you deſire to have an Account of, from his Infancy labour'd under the Difficulty of making Water; for tho' he was three Years of Age, when put under the Care of the Perſon from whom I have this Intelligence, yet he could not go alone. He was in the greateſt Agony upon every Motion; but was relieved by putting a great Pin, the Head foremoſt,